Certificate no:

LIV 0533640/01

Page 1 of 4



Project: Fire Extinguishing Media to EN 1558-3 & EN 1568-4

Specifications

Client: Dafo Fomtec AB

Tyreso.

Sweden

Clients Order Number:

Office: Liverpool

30 June 2005

Order

Complete

Status:

Inspection Dates

First:

16 May 2005

Final: 22 June 2005

This certificate is issued to Dafo Fomtec AB, to certify that at their request, the undersigned Surveyor to this Society did select samples of FOMTEC ARC 3x3 (Newtonian), for the purpose of confirming that the properties were within the technical specifications and were in accordance with EN 1568-3 and EN 1568-4.

The necessary tests were witnessed by the Surveyor and the results obtained were all within the limits given in the manufacturer's specification, and the requirements of EN 1568-3 and EN 1568-4

Tolerance to freezing and thawing (Annex E)

No stratification or non-homogeneity could be detected in the sample.

Sediment (Annex C)

Before ageing of the sample

0.1%

After ageing of the sample

0.1%

(24 hours at 60 C)

Viscosity at 20 C

5.0 m.Pa.s (Brookfield)

pH of the concentrate at 20 C

7.3

Lloyd's Register, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register Group'. The Lloyd's Register Group assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register Group entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

# Surface Tension, Interfacial Tension and Spreading Coefficient (Annex F)

	Surface Tension	Interfacial Tension	Spreading Coefficient
	Dynes/cm	Dynes/cm	Dynes/cm
Before conditioning:	18.5	2.8	+3.7
After Conditioning at			
-30 C for 24 hours followed by 48 hours at 20			
C (four cycles)			
Top Sample:	18.5	2.7	+3.8
Bottom Sample:	18.3	2.9	+3.8
After Conditioning at			
60 C for 7 days followed by 2 days at 20 °C			
Top Sample:	18.0	2.6	+4.4
Bottom Sample:	18.2	2.6	+4.2

# Expansion and Drainage (Annex G)

	Using Fr	esh Water	Using S	ea Water
Before conditioning of the sample				
Expansion at 3%:	9	.02	9	.12
25% Drainage Time:	4′15″		3'49"	
50% Drainage Time:	6'	00"	6′	09"
After conditioning of the sample (Annex E)	Тор	Bottom	Тор	Bottom
Expansion at 3%:	9.00	9.12	9.34	9.25
25% Drainage Time:	3'27"	3'30"	4'03"	4'00"
50% Drainage Time:	5'39"	5'45"	6'19"	6'02"

#### Fire Tests (Annex H)

### A) Application (Forceful) in accordance with EN 1568-3

Fire tests carried out in accordance with Annex H1 and H3 using Fresh Water and Sea Water

Preburn Time

60 seconds

Foam Application

180 seconds

Wait after foam application Fire Tray

300 seconds 144B (4.54 m<sup>2</sup>)

Fuel

Commercial Heptane on water bed

Foam Concentration

3%

	Fresh Water	Sea Water	Sea Water
90% Control	35"	32"	36"
99% Control	50"	44"	47"
100% Extinction	64"	82"	89"
25% Burnback Time	Not applicable	Not applicable	Not applicable
Air Temp (°C)	16	16	16
Water Temp (°C)	16.5	16.5	16.5
Fuel Temp (°C)	17	17	17
Foam Temp(°C)	16.5	16.5	16.5
Wind Speed (m/sec)	< 3.0	< 3.0	< 3.0

#### B) Application (Gentle) in accordance with EN 1568-3

Fire tests carried out in accordance with Annex H1 and H2 using Fresh Water and Sea Water

Preburn Time

60 seconds

Foam Application

300 seconds

Wait after foam application

300 seconds

Fire Tray

144B (4.54 m<sup>2</sup>)

Fuel

Commercial Heptane on water bed

Foam Concentration

3%

	Fresh Water	Sea Water	Fresh Water
90% Control	35"	38"	42"
99% Control	62"	47"	62"
100% Extinction	104"	101"	82"
25% Burnback Time	17′32″	16′15″	18'05"
Air Temp (°C)	20	20	20
Water Temp (°C)	19	19	19
Fuel Temp (°C)	19	19	19
Foam Temp(°C)	19	19	19
Wind Speed (m/sec)	< 2.0	< 2.0	< 2.0

#### C) Application in accordance with EN 1568-4 (Annex H)

Preburn Time 120 seconds Foam Application 180 seconds Wait after foam application 300 seconds Fire Tray 55B (1.73 m<sup>2</sup>)

Acetone Fuel Foam Concentration

	Fresh Water	Sea Water	Fresh Water
90% Control	53"	20"	37"
99% Control	60"	35"	45"
100% Extinction	103"	60"	65"
25% Burnback Time	11'03"	14'47"	11'42"
00			
Air Temp (°C)	15	16	17
Water Temp (°C)	16.0	16.0	16.5
Fuel Temp (°C)	17	16	17
Foam Temp(°C)	16.5	16.0	16.0
Wind Speed (m/sec)	< 3.0	< 3.0	< 3.0

3%

From the above test results it is confirmed the FOMTEC ARC 3x3 (Newtonian) is a film forming foam concentrate suitable for use with fresh and sea water. FOMTEC ARC 3x3 (Newtonian) has tolerance to freezing and thawing (Annex E). The product is suitable for storage above -30. The fire extinguishing performance class is 1 and the burnback resistance level is B using fresh and sea water used at 3% concentration for Hydrocarbon fuel. The fire extinguishing performance class is 1 and the burnback resistance level is B using fresh and sea water used at 3% concentration for Polar Solvent fuel.

Certificate no: Page 4 of 4 LIV 0533640/01

Performance level achieved:

Extinguishing Class 1 for Hydrocarbon and Polar Solvent Fuel Burnback Resistance level is B for Hydrocarbon Fuel with fresh and sea water Burnback Resistance level is B for Polar Solvent Fuel with fresh and sea water

Lloyd's Register EMEA

iverpool Office

Registe

M. Williams

Surveyor to Lloyd's Register EMEA

A member of the Lloyd's Register Group